



## Technical Specifications

Acoustic cabinet:	FR106/T
Description:	2 Way System. 6,5" and High Frequency unit
Power AES:	200 W.
Power Program:	400 W.
Sensitivity 2,83v @ 1m:	93 dB.
Max. SPL continuous:	116 dB.
Max. SPL peak:	122 dB.
Frequency response:	60 - 23.000Hz.
Coverage (H x V):	120° x 30°
Bass Loudspeakers:	6P200Nd or 6P200Fe (technical datasheets available at <a href="http://www.beyma.com">www.beyma.com</a> )
High Frequency unit:	TPL-150
Crossover:	FP-106/T
Hardware:	External
Internal Net Volume	8,75 Liters
Vent dimensions	50mm. Diameter / 116mm. length


Lateral vista sección /  
Lateral section




Vista frontal / Front View




Vista trasera / Back view





**Note:** These drawings show the basic internal and external dimensions. All the detailed information related to dimensions can be found in the CAD file, which can be downloaded from the "Resources" section at [www.beyma.com](http://www.beyma.com)

**Nota:** Estos planos muestran información básica de dimensiones internas y externas. Toda la información detallada de dimensiones y cotas se encuentra en el fichero CAD, que puede descargarse desde la zona "Recursos" en [www.beyma.com](http://www.beyma.com)



**FR106/T Crossover**

